


**CHERUBINI**  
tocco italiano dal 1947

# CLIMA RX



Specific for drop type adjustable shutters.



## Clima RX

Specific for drop type adjustable shutters.



➤ **Motors with electronic limit switch, built-in receiver and wire control.**

➤ **A series of versatile motors, available in different sizes and power ratings.**  
The Clima RX range has been designed to activate drop type adjustable shutters.

The tilting can be easily programmed with one of the 3 available options.

Clima RX motors combine simplicity of use and programming and protection capable of ensuring the highest levels of comfort, safety and reliability.

➤ **Specific functions:**

- Setting possible with remote control or wired switch.
- Compatible with most home automation systems on the market.
- Manual and semi-automatic adjustment of the limit switch.
- Protection against freezing and obstacle detection on both directions, sensitivity setting on 3 levels possible.
- Possibility of memorizing an intermediate position.

# Clima RX



> Manual and semi-automatic adjustment of the limit switch

> Protection against freezing

> Obstacle detection on both directions, sensitivity setting on 3 levels possible




> **Tilting setting.**  
The tilting of drop type adjustable shutters can be easily programmed with one of the 3 available options.



> Setting possible with remote control or wired switch



> Possibility of memorizing an intermediate position



> **Highest level of anti-burglary security.**  
The Secureline system permits motor reset only through the auxiliary cable, which is not accessible from outside the home.


# Clima RX

## Main characteristics

### Ø45

Code	Head	Torque	Speed	L (mm)	Certifications
CEC45101200	Plastic material	10 Nm	12 rpm	473	CE
CEC45151205	Plastic material	15 Nm	12 rpm	503	CE
CEC45251205	Plastic material	25 Nm	12 rpm	503	CE
CEC45321205	Plastic material	32 Nm	12 rpm	543	CE
CEC45401200	Plastic material	40 Nm	12 rpm	543	CE
CEC45501200	Plastic material	50 Nm	12 rpm	543	CE


### Dimensions



### Ø58

Code	Head	Torque	Speed	L (mm)	Certifications
AEC58081200	Zama	85 Nm	12 rpm	646	CE
AEC58101100	Zama	100 Nm	11 rpm	646	CE
AEC58121100	Zama	120 Nm	11 rpm	646	CE

### Dimensions



## Compatible systems


Clima RX

All Cherubini remote controls

Domotic transmitter

Blue Bus / Blue Bus RX

## Motor wire



BROWN - PHASE  
 WHITE - WIRED SWITCH  
 BLUE - NEUTRAL  
 YELLOW - GREEN ⊕

# CHERUBINI

tocco italiano dal 1947

## CHERUBINI S.p.A.

Via Adige 55  
25081 Bedizzole (BS) / Italy  
Tel. +39 030 6872.039  
Fax +39 030 6872.040  
info@cherubini.it  
www.cherubini.it

<http://www.linkedin.com/company/cherubini-spa>  
<http://www.facebook.com/CherubiniSpa/>  
<http://www.youtube.com/user/CherubiniSpa>



## CHERUBINI France S.a.r.l.

ZI Du Mas Barbet  
165 Impasse Ampère  
30600 Vauvert / France  
Tel. +33 466 77 88 58  
Fax +33 466 77 92 32  
info@cherubini.fr  
www.cherubini.fr

## CHERUBINI Iberia S.L.

Avda.Unión Europea 11-H  
Apdo.283 - P.I. El Castillo  
03630 Sax. Alicante / Spain  
Tel. +34 966 967 504  
Fax +34 966 967 505  
info@cherubini.es  
www.cherubini.es

## CHERUBINI Deutschland GmbH

Siemensstrasse 40  
53121 Bonn / Germany  
Tel. +49 (0) 228 962 976 34 - 35  
Fax +49 (0) 228 962 976 36  
info@cherubini-group.de  
www.cherubini-group.de

## CHERUBINI DongGuan Ltd

Add.: No.4 Building,  
BaoMa Road - ShuiBian  
HengLi - DongGuan / China  
Tel. +86 (0) 769 8337 3981  
Fax +86 (0) 769 8337 2896  
info@cherubini.cn  
www.cherubini.it

## CHERUBINI Türkiye

Ritim Istanbul  
D-100 Güney Yanyolu  
Cevizli Mahallesi, Zuhul Caddesi  
34846 Maltepe - Istanbul / Turkey  
Tel/Fax +90 (0) 216 515 6287  
info@cherubini.com.tr  
www.cherubini.com.tr