CHERUBINI



DOGE RX



MOTORE TUBOLARE CON FINECORSA ELETTRONICO
PER VENEZIANE

TUBULAR MOTOR WITH ELECTRONIC LIMIT SWITCH FOR VENETIAN BLINDS

RAFFSTOREN - ROHRMOTOR MIT ELEKTRONISCHER ENDLAGENEINSTELLUNG

MOTEUR TUBULAIRE POUR BRISE SOLEIL ORIENTABLE (BSO)

AVEC CONTACT DE FINS DE COURSE ÉLECTRONIQUES

MOTOR TUBULAR PARA VENECIANA DE LAMAS ORIENTABLES
CON FIN DE CARRERA ELECTRÓNICO


ES

TRANSLATION OF THE ORIGINAL INSTRUCTIONS

Table of contents:

How to prepare the motor	p.	22
Electrical connections	p.	23
Compatible remote controls	p.	24
Key to symbols p.		
Command sequences example		
Function open/close programming remote control		
Setting the first remote control		
Automatic disabling of the first remote control setting function		
Torque control setting	p.	28
Setting of the limit switches	p.	29
High limit switch setting	p.	29
Low limit switch setting	p.	29
Deleting the limit switch positions	p.	30
High limit switch deleting	p.	30
Low limit switch deleting	p.	30
Total deleting of the limit switches	p.	30
Setting a middle position	p.	31
Deleting the middle position		
Slat opening control	p.	32
Setting the slat opening position	p.	32
Setting of additional remote controls	p.	33
Remote control memory clearing	p.	33
Total deletion of the remote controls memory	p.	34
Special functions		
Short-term setting of a remote control	p.	35
Operation with wind sensor	p.	36
Compatible anemometers	p.	36
Setting the wind sensor		
Deleting the sensor		
Command management from white wire	p.	38
EU Declaration of conformity	. p.	93


HOW TO PREPARE THE MOTOR



NB: If you use tubes with a round form, the driving pulley must be fixed to the tube, and the installation is to be paid by the person who installs the system. For other tube sections the fitting is optional, but strongly recommended.

ELECTRICAL CONNECTIONS

- In order to prevent dangerous situations or malfunctioning, the electrical command elements wired to the motor must be sized according to the motor's electrical features.
- Means for disconnection must be incorporated in the fixed wiring in accordance with the national installation standards.
- For outdoor use, provide the appliance with a supply cable with designation H05RN-F containing at least 2% of carbon.
- If not used, the white wire must be insulated. It is dangerous to touch the white wire when the motor is powered.



WIRE PROGRAMMING


*Installing this button is optional.


Using the switch as described on this page it's possible to set the motor through the white wire (wire programming).


To find out this procedure, require the instruction booklet from your dealer.



COMPATIBLE REMOTE CONTROLS









KEY TO SYMBOLS


















COMMAND SEQUENCES EXAMPLE

at the same time

Most of the command sequences have three distinct steps, at the end of which the motor indicates if the step has been concluded positively or not, by turning in different ways. This section is provided to demonstrate the motor indications. The buttons must be pressed as shown in the sequence, without taking more than 4 seconds between one step and the next. If more than 4 seconds are taken, the command is not accepted and the sequence must be repeated. Command sequence example:



As we can see from the example, when the sequence ends positively, the motor returns to its starting position in one long rotation. In fact, two short rotations in the same direction correspond to one long rotation in the opposite direction. The motor returns to the starting position even when the sequence is not completed; in this case by performing one or two short rotations. Example of a wrong sequence:



FUNCTION OPEN/CLOSE PROGRAMMING REMOTE CONTROL SKIPPER PLUS - SKIPPER LUX - SKIPPER P-LUX REMOTE CONTROL POP PLUS - POP LUX - POP P-LUX


To prevent accidental changes to the programming of the motor during the daily use of the remote control, the possibility of programming is disabled automatically 8 hours after sending the last sequence (A+B or B+C).

CHECKING THE STATUS OF THE FUNCTION



To change the status of the function, see the sequences "ENABLE/DISABLE PROGRAMMING".

ENABLE PROGRAMMING



Proceed with programming as the instructions booklet.

DISABLE PROGRAMMING



FUNCTION OPEN/CLOSE PROGRAMMING REMOTE CONTROL SKIPPER - SERIES GIRO - REMOTE CONTROL POP


To prevent accidental changes to the programming of the motor during the daily use of the remote control, the possibility of programming is disabled automatically 8 hours after sending the last sequence (A+B or B+C).

CHECKING THE STATUS OF THE FUNCTION



To change the status of the function, see the sequences "ENABLE/DISABLE PROGRAMMING".

ENABLE PROGRAMMING



Remove one battery and wait minimum 5 seconds or press any button.

Proceed with programming as the instructions booklet.

DISABLE PROGRAMMING









SETTING THE FIRST REMOTE CONTROL

This operation can only be performed when the motor is new, or after a total delete of the memory.

During this step, power up only one motor at time!

T1: First remote control to be set







T1 (2 sec)


AUTOMATIC DISABIING OF THE FIRST REMOTE CONTROL SETTING FUNCTION

T1

Every time you connect the power supply to the motor, you have 3 hours to store the first remote control. After this time, the ability to store the remote control is disabled. To reset the timer of the function you have to disconnect and reconnect the power supply to the motor.

TORQUE CONTROL SETTING







The motor is factory set to a closing force of 40% of the nominal torque (e.g.: 40% of 50 Nm = 20 Nm).

This force can be changed very easily by the remote control. It can be reduced by 20% or increased up to 70%, depending on the desired result.





2 sec

SETTING OF THE LIMIT SWITCHES

Tubular motors have an electronic limit switch system with an encoder. This system ensures great reliability and precision in keeping the positions. Limit switch regulation is performed simply with the remote control. During setting, the motor moves only as long as the up or down button is pressed, stopping when the button is released.

When you have finished adjusting the limit switches, press the up or down button briefly (<1 sec) to adjust the tilt of the slats or press long (>1 sec) to move the motor automatically to the final end positions.

HIGH LIMIT SWITCH SETTING

After setting the remote control, the high end position must be set first. To do this, lift the blind completely.

Notes: - If the Venetian blind is completely closed, you have firstly to open it by around 20 cm.

 To lift the Venetian blind, it will sometimes be necessary to use the down button, as the correct direction of rotation will only be identified once the high end position has been memorised.

To set the closing position, hold pressed the "stop" button (around 2 sec) until the motor performs a short "down" movement.

Tn: Already programmed remote control










Tn (2 sec)

LOW LIMIT SWITCH SETTING

After adjusting the high end position, lower the Venetian blind completely by pressing and holding the down button on the remote control. You can use the up/down buttons to fine-tune the low end position.

To save the low end position, press and hold button B (stop) for about 2 seconds until the motor makes a short upward movement.





Tn (2 sec)

DELETING THE LIMIT SWITCH POSITIONS

HIGH LIMIT SWITCH DELETING

To delete only the high limit switch, carry out the following procedure and proceed with the 'HIGH LIMIT SWITCH SETTING'

Tn: Already programmed remote control





Tn

LOW LIMIT SWITCH DELETING

To delete only the low limit switch, carry out the following procedure and proceed with the 'LOW LIMIT SWITCH SETTING'.

Tn: Already programmed remote control



Tn





Tn (2 sec)

TOTAL DELETING OF THE LIMIT SWITCHES

Tn: Already programmed remote control











Tn (4 sec)

Tn

SETTING A MIDDLE POSITION

This function allows to drive the venetian blind to a favourite middle position. To memorize the middle position, move the venetian blind to the desired position and then hold the STOP button down (for about 4 seconds) until the motor gives confirmation.

Tn: Already programmed remote control







Tn (4 sec)



When the intermediate position is memorised, you can move the Venetian blind to this position:

- using the REMOTE CONTROL, press the B (stop) button for a long time (2 sec.)





or

- via the BUTTON, long press the UP button (> 2 sec.)

DELETING THE MIDDLE POSITION

If you want to delete the middle position, it can be done as described below. To change this position, it's also necessary to delete first the memorized middle position.

Before deleting the middle position, the venetian blind must go to the middle position by pressing the STOP button for 2 second, then press the STOP button again (for about 4 seconds) until the motor performs the confirmation movement.

Tn: Already programmed remote control













Tn (2 sec) Tn (4 sec)

SLAT OPENING CONTROL



< 2 sec

You can give the slat opening command when the engine is stopped; it is sufficient to:

- on the REMOTE CONTROL briefly press button B (stop) (< 2 sec.)



or

- via the BUTTON press DOWN very long (> 2 sec.)

SETTING THE SLAT OPENING POSITION

The motor has a pre-memorized open-slat position, of about 0,8 s, which enables the automatic opening of the slats at an angle of between 30 and 45 degrees.

If one likes, it is possible to change the slat opening position.

CHANGING THE SLAT OPENING POSITION

Initiate the indicated command sequence and wait for the blind to be completely lowered.









2 sec

The motor is now running in dead man mode, enabling the fine adjustment of the slat opening position. Confirm the position with B (2 sec).

The motor automatically opens the slats.



2 sec

SETTING OF ADDITIONAL REMOTE CONTROLS

Up to 15 remote controls can be set.

Tn: Already programmed remote control

Tx: Additional remote control







Tn Tx (2 sec)

REMOTE CONTROL MEMORY CLEARING

It is possible to delete singly all the memorized remote controls. When the last one is deleted the motor initial condition is restored. The same applies to the single channels of a multichannel remote control: just select the channel to cancel.

Tn: Remote control to be cleared









111 (2 300

TOTAL DELETION OF THE REMOTE CONTROLS MEMORY

This full memory clearing does not delete the setting of the limit switch.

The full memory clearing can be performed in two ways:

1) WITH THE REMOTE CONTROL

Tn: Already programmed remote control







Tn (4 sec)


2) WITH THE WHITE WIRE

Do this operation only in case of emergency, if all remote controls are no longer operating. To delete the memory we have to access the white wire of the motor.

The sequence of this operation is the following:

- 1) Disconnect the power supply from the motor, via the main switch for example.
- 2) Connect the white motor wire to the brown wire (phase) or to the blue wire (neutral).
- 3) Connect the power supply to the motor, which rotates briefly in one direction.
- 4) Disconnect the power supply from the motor for at least 4 seconds.
- 5) Connect the power supply to the motor which performs one brief rotation in one direction after around 4 seconds and then a longer one in the opposite direction.
- 6) Disconnect the power supply from the motor.
- Separate the white wire from the brow/blue wire. Insulate the white wire, in an appropriate way, before reconnecting the power supply.

At this point it is possible to proceed with the setting of the first remote control.



SPECIAL FUNCTIONS

SHORT-TERM SETTING OF A REMOTE CONTROL

This function makes it possible to store a remote control temporarily, for example, with the purpose of setting the limit switches during assembly in the factory. A later final saving of the remote control will be possible using the appropriate command sequence (see: "SETTING THE FIRST REMOTE CONTROL").

The operations described below can be carried out only when the motor has just come out of the factory or after a full memory clearing (see: "FULL MEMORY CLEARING"). The motor makes the following operations possible only within the time limits described in order to make sure that the short-term setting is used only in the installation or factory setting phase and not during daily use.

Power up the motor, make sure that no other motors having an empty memory are powered up in the same operating range.

Within 30 seconds after start, press the B and C buttons simultaneously until the motor gives a confirmation signal.

The remote control will remain stored for 5 minutes, while the motor is powered up. After 5 minutes or when the motor has its power cut off, the remote control will be cancelled.

T1: First remote control to be set



T1

OPERATION WITH WIND SENSOR

It is possible to associate a wind sensor with the motor. In the presence of a wind alarm, the motor performs the following operations:

Event	Automatic movement
Wind alarm (wind above threshold) Default function.	The Venetian blind raises completely and cannot be stopped or lowered until 8 minutes after the wind speed has returned below the threshold.
End of wind alarm (8 minutes after wind below threshold).	The Venetian blind remains stationary and can be controlled again. (If the Automatic Reopening End Wind Alarm function is enabled, the position prior to the wind alarm is restored, please refer to the anemometer instruction booklet).

COMPATIBLE ANEMOMETERS*



^{*}For a description of the functions, check the WindTec instruction.

SETTING THE WIND SENSOR

To associate the sensor to the motor, a remote control must be already memorized. The setting sequence is the following:

Tn: Already programmed remote control



DELETING THE SENSOR

To delete the sensor from the motor, an already programmed remote control must be used.

The deleting sequence is the following:







2 sec

COMMAND MANAGEMENT FROM WHITE WIRE UP-DOWN / UP-DOWN "DEAD MAN"

NB: The default function provided in the motors leaving the factory is UP-DOWN double button switch.

It is always possible to change the command type setting by performing the sequence below.

PROCEDURE TO CHANGE THE CONTROL MODE:

Tn: Already programmed remote control








Tn (2 sec)

The possible settings are 2 and are available in the following order:

- UP-DOWN (for 2 independent buttons factory setting)
- UP-DOWN "DEAD MAN" (for 2 independent buttons)

To switch from one setting to the following, perform the sequence as many times as necessary to reach the desired setting.



III DICHIARAZIONE DI CONFORMITÀ UE

C ← CHERUBINI S.p.A. dichiara che il prodotto è conforme alle pertinenti normative di armonizzazione dell'Unione:

Direttiva 2014/53/UE. Direttiva 2011/65/UE.

Il testo completo della dichiarazione di conformità UE è disponibile facendone richiesta sul sito: www.cherubini.it.

EN EU DECLARATION OF CONFORMITY

C € CHERUBINI S.p.A. declares that the product is in conformity with the relevant Union harmonisation legislation:

Directive 2014/53/EU, Directive 2011/65/EU.

The full text of the EU declaration of conformity is available upon request at the following website: www.cherubini.it.

DE EU-KONFORMITÄTSERKLÄRUNG

C € CHERUBINI S.p.A. erklärt der produkt erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU. Richtlinie 2011/65/EU.

Der vollständige Text der EU-Konformitätserklärung kann unter unserer Web-Seite www.cherubini.it, gefragt werden.

FR DÉCLARATION UE DE CONFORMITÉ

C ← CHERUBINI S.p.A. déclare que le produit est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE, Directive 2011/65/UE.

Le texte complet de la déclaration UE de conformité est disponible en faisant requête sur le site internet: www.cherubini.it.

ISS DECLARACIÓN UE DE CONFORMIDAD

C € CHERUBINI S.p.A. declara que el producto es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE, Directiva 2011/65/UE.

El texto completo de la declaración UE de conformidad puede ser solicitado en: www.cherubini.it.

note - Bem - notes - notas:				

CHERUBINI S.p.A.

Via Adige 55 25081 Bedizzole [BS] - Italy Tel. +39 030 6872.039 | Fax +39 030 6872.040 info@cherubini.it | www.cherubini.it

CHERUBINI Iberia S.L.

Avda. Unión Europea 11-H Apdo. 283 - P. I. El Castillo 03630 Sax Alicante - Spain Tel. +34 (0) 966 967 504 | Fax +34 (0) 966 967 505 info@cherubini.es | www.cherubini.es

CHERUBINI France SAS

ZI Du Mas Barbet 165 Impasse Ampère 30600 Vauvert - France Tél. +33 [0] 466 77 88 58 info@cherubini.fr | www.cherubini.fr

CHERUBINI Deutschland GmbH

Siemensstrasse, 40 - 53121 Bonn - Deutschland Tel. +49 (0) 228 962 976 34 / 35 | Fax +49 (0) 228 962 976 36 info@cherubini-group.de | www.cherubini-group.de

